




# VEHICLE LIFTS



Australia's largest independent lift company  
Established 1985

## Customised, easy to operate, code compliant vehicle lifts suitable for commercial, residential and domestic applications

Vehicle lifts are increasingly replacing ramps as a means of moving vehicles around buildings where space is at a costly premium.

Liftronic's Vehicle Lifts are proven reliable work-horses capable of the heavy lifting needed in these applications.

Available with single door, or front and rear door configurations, finished in brushed stainless steel lift finishes on the foyer doors and internal lift car panels to suit any size, load or speed.

Easy to operate and suitable for customisation to suit most installation requirements.


### *Features include*

- For loads of 3000kg and more
- Code Compliant
- Custom and standard sizes available
- Stainless steel finishes
- Robust and very reliable



Visit our website to discover our comprehensive range of elevators, escalators and moving walkways. [www.liftronic.com.au](http://www.liftronic.com.au)





Australia's largest independent lift company  
Established 1985

### BRISBANE

29 Canberra Street  
HEMMANT  
QLD 4174  
PO Box 7107  
HEMMANT QLD 4174  
Tel: +(61 7) 3890 0522  
Fax: +(61 7) 3890 0722

### MELBOURNE

640 Somerville Road  
SUNSHINE WEST  
VIC 3020  
PO Box 1195, ALTONA  
GATE VIC 3025  
Tel: +(61 3) 9311 6663  
Fax: +(61 3) 9312 6663

### CANBERRA

L11 St George Cntr  
60 Marcus Clarke St  
ACT 2600  
PO Box 1195, ALTONA  
GATE VIC 3025  
Tel: +(61 2) 6243 4844  
Fax: +(61 2) 6243 4845

### SYDNEY

Unit 6 153 Beauchamp Road  
MATRAVILLE  
NSW 2036  
PO Box 75  
BOTANY NSW 1455  
Tel: +(61 2) 9666 3922  
Fax: +(61 2) 9666 4507

### VEHICLE MRL TECHNICAL DATA (SIDE COUNTERWEIGHT 2:1)

SPECIFICATIONS		SPEED (m/s)	DOOR OPENING SIDE OPENING SO CENTER OPENING CO	CAR INSIDE (mm) CA x CB	CLEAR OPENING OP (mm)	SHAFT WELL (mm) X x Y (SINGLE ENTRY)	SHAFT WELL (mm) X x Y (THROUGH ENTRY)
CAPACITY (kg)	PERSONS						
3000	N/A	0.5 / 1.0	CO	2400 X 5560	2400	3750 X 6100	3750 X 6220
3500	N/A	0.5 / 1.0	CO	3000 X 5800	2400	4200 X 6400	4200 x 6700
4000	N/A	0.5 / 1.0	CO	2700 X 7000	2400	3950 X 7700	3950 X 7800
OVERHEAD & PIT DIMENSIONS							
SPECIFICATIONS		CAR HEIGHT HC (MM)	OVERHEAD OH (mm)	PIT PD (mm)	MAX TRAVEL Tr (m)		
CAPACITY (kg)	SPEED (m/s)						
3000	0.5	2300	3900	1600	25		
	1.0	2300	3900	1800	45		
3500 - 4000	0.5	2300	4300	1800	25		
	1.0	2300	4300	1800	45		

\*due to liftronic's continuous improvement policy, we reserve the right to alter all dimensions without notice.